

EG-9410

-
- Technical drawing of a rectangular panel, showing two views: a top view (left) and a side view (right).
- Top View (Left):**
- Overall width: 84"
 - Overall height: 24-1/4"
 - Left side features a large circle (12" diameter) and a smaller circle (5" diameter).
 - Right side features a large circle (12" diameter) and a smaller circle (5" diameter).
 - Dimensions for the left side: 6-1/2" (left margin), 12" (circle diameter), 23-1/2" (distance between circles).
 - Dimensions for the right side: 23-1/2" (distance between circles), 12" (circle diameter), 6-1/2" (right margin).
- Side View (Right):**
- Overall width: 84"
 - Overall height: 24-1/4"
 - Left side features a large circle (12" diameter) and a smaller circle (5" diameter).
 - Right side features a large circle (12" diameter) and a smaller circle (5" diameter).
 - Dimensions for the left side: 6-1/2" (left margin), 12" (circle diameter), 23-1/2" (distance between circles).
 - Dimensions for the right side: 23-1/2" (distance between circles), 12" (circle diameter), 6-1/2" (right margin).

EG-9479


-
- Technical drawing of a hexagonal plate with the following dimensions and features:
- Overall Dimensions:**
 - Overall Height: $22\frac{1}{2}"$
 - Overall Width: $37\frac{1}{4}"$
 - Internal Features:**
 - A circular hole with a diameter of $8" \text{ Dia.}$
 - A smaller circular feature with a diameter of $4"$.
 - A rectangular feature with a width of $7\frac{1}{4}"$ and a height of $11\frac{1}{4}"$.
 - A rectangular feature with a width of $11"$ and a height of $11\frac{1}{4}"$.
 - Other Dimensions:**
 - Distance from the left edge to the center of the $4"$ hole: $7\frac{1}{4}"$
 - Distance from the center of the $4"$ hole to the center of the $8" \text{ Dia.}$ hole: $19"$
 - Distance from the center of the $8" \text{ Dia.}$ hole to the right edge: $11"$
 - Distance from the top edge to the center of the $4"$ hole: $11\frac{1}{4}"$
 - Distance from the center of the $4"$ hole to the top edge: $3"$

Note: Belt Guards are shown from front (Motor/Pump) end of Unit, looking back towards Flywheel.

EG-9485


Consists of:

- | | |
|---------------|-----------------|
| (1) EG-9924 | Inner Guard |
| (1) EG-9925 | Outer Guard |
| (10) SS-00328 | Drilling Screw |
| (4) SS-11780 | #14 x 3/4 Screw |
| (4) SS-6506 | 5/16 Washer |



EG-9486


- Consists of:
- | | |
|--------------|--------------------|
| (1) EG-9930 | Inner Guard |
| (1) EG-9931 | Outer Guard |
| (1) EG-9916 | Belt Guard Bracket |
| (6) EG-9932 | Belt Guard Clip |
| (1) EG-9934 | Head Bracket |
| (4) SS-11780 | #14 x 3/4 Screw |
| (1) SS-13 | 5/16-18 x 7/8 HHCS |
| (1) SS-1503 | 5/16 Lockwasher |
| (1) SS-1524 | 5/16 Washer |
| (1) SS-725 | 5/16 Nut |
| (4) SS-9934 | Washer |



EG-9487

Consists of:


- | | |
|--------------|-----------------|
| (1) EG-9926 | Outer Guard |
| (1) EG-9927 | Inner Guard |
| (7) SS-00328 | Drilling Screw |
| (2) SS-11780 | #14 x 3/4 Screw |
| (2) SS-1524 | 5/16 Washer |



Note: Belt Guards are shown from front (Motor/Pump) end of Unit, looking back towards Flywheel.


EG-9488

- Consists of:
- | | | |
|-----|----------|--------------------|
| (1) | EG-9931 | Outer Guard |
| (1) | EG-9936 | Inner Guard |
| (6) | EG-9932 | Belt Clips |
| (1) | EG-9934 | Head Bracket |
| (4) | SS-11780 | #14 x 3/4 Screw |
| (1) | SS-13 | 5/16-18 x 7/8 HHCS |
| (1) | SS-1503 | 5/16 Lockwasher |
| (1) | SS-1524 | 5/16 Washer |
| (1) | SS-725 | 5/16 Nut |
| (4) | SS-9934 | Washer |




EG-9489

- Consists of:
- | | | |
|-----|----------|--------------------|
| (1) | EG-9828A | Outer Guard |
| (1) | EG-9828B | Inner Guard |
| (4) | EG-9916 | Belt Guard Bracket |
| (1) | EG-9932 | Belt Guard Clip |
| (3) | SS-11780 | #14 x 3/4 Screw |
| (1) | SS-13 | 5/16-18 x 7/8 HHCS |
| (1) | SS-1503 | 5/16 Lockwasher |
| (1) | SS-1524 | 5/16 Washer |
| (1) | SS-725 | 5/16 Nut |
| (4) | SS-9934 | Washer |



EG-9490

- Consists of:
- | | | |
|-----|----------|-----------------|
| (1) | EG-9931 | Outer Guard |
| (1) | EG-9936 | Inner Guard |
| (6) | EG-9932 | Belt Clips |
| (1) | EG-9937 | Head Bracket |
| (4) | SS-11780 | #14 x 3/4 Screw |
| (1) | SS-1505 | 1/4 Lockwasher |
| (7) | SS-1524 | 5/16 Washer |
| (1) | SS-2983 | 1/4-20 RHMS |
| (1) | SS-655 | 1/4 Nut |




Note: Belt Guards are shown from front (Motor/Pump) end of Unit, looking back towards Flywheel.

EG-9491

Consists of:


- | | |
|---------------|-----------------|
| (1) EG-9925 | Outer Guard |
| (1) EG-9938 | Inner Guard |
| (10) SS-00328 | Drilling Screw |
| (4) SS-11780 | #14 x 3/4 Screw |
| (4) SS-6506 | 5/16 Washer |



EG-9492


Consists of:

- | | |
|--------------|-----------------|
| (1) EG-9926 | Outer Guard |
| (1) EG-9928 | Inner Guard |
| (7) SS-00328 | Drilling Screw |
| (2) SS-11780 | #14 x 3/4 Screw |
| (2) SS-1524 | 5/16 Washer |



EG-9493

- Consists of:
- | | |
|--------------|-------------------|
| (1) EG-9930 | Inner Guard |
| (1) EG-9931 | Outer Guard |
| (6) EG-9932 | Belt Guard Clip |
| (1) EG-9934 | Head Bracket |
| (3) SS-11780 | #14 x 3/4 Screw |
| (1) SS-1505 | 1/4 Lockwasher |
| (1) SS-1524 | 5/16 Washer |
| (1) SS-2983 | 1/4-20 x 3/4 RHMS |
| (1) SS-655 | 1/4 Nut |



Note: Belt Guards are shown from front (Motor/Pump) end of Unit, looking back towards Flywheel.

EG-9494

Consists of:

(1)	EG-9930	Inner Guard
(1)	EG-9931	Outer Guard
(6)	EG-9932	Belt Guard Clip
(1)	EG-9937	Head Bracket
(4)	SS-11780	#14 x 3/4 Screw
(5)	SS-1524	5/16 Washer
(1)	SS-2983	1/4-20 x 3/4 RHMS
(1)	SS-655	1/4 Nut
(1)	SS-9938	Washer

